


FAST MOVING TECHNOLOGY

STÄUBLI

Automatic Rapid Charging Solution QCC

Applications | Special Catalogues



Automatic rapid charging solution

With its innovative connector for rapid charging systems, Stäubli offers an option for automatic charging of electric vehicles (buses, trucks, boats, and other vehicles). This makes it possible to transmit high levels of power quickly, which ensures fast recharging of energy storage devices.

This rapid charging solution enables, for instance, noise- and emission-free inner-city public transportation without the necessity for uneconomical large and heavy batteries. The amount of stored energy required is reduced, and the bus can be re-charged along its route, without affecting vehicle operation. Alternatively, the bus can be charged during longer stops at the end terminal.


Main advantages at a glance:

- Reliable and fully automated solution
 - Integrated angular and positioning misalignment compensation
 - No need for additional positioning sensors or adjustment parts
- Increased cost efficiency
 - Reduced battery size and lower costs
 - Integrated self-cleaning mechanism guarantees reliable, low-maintenance operation and a long service life
 - Designed for high numbers of mating cycles
- High level of safety
 - Completely touch-protected
 - Waterproof
 - Low contact resistance
- Compact and versatile
 - Easy to retrofit
 - Inconspicuous and blends in optically (ideal for historic districts)
 - Installation does not require major road construction; no impact on adjacent traffic lanes
- Easy to integrate

We can help you to realize your project from planning and design to integration.

General data		
	QCC2	QCC3
Number of poles	2 + PE 5 signal contacts	2 + PE 6 signal contacts
Rated voltage	1500 V DC	
Rated current (continuous)	350 A	800 A
Conductor cross-section	95 mm ² (Power) 50 mm ² (PE)	2 x 120 mm ² (Power) 2 x 70 mm ² (PE)
Operating cycles	> 100,000	
Degree of protection mated / unmated, according to IEC 60529	IP55	
Touch protection, according to IEC 60529	IP2X	

We are a solution provider –
from the first concept to the final product





■ Staubli Units ○ Agents

Global presence of the Staubli Group

www.staubli.com